



elandura

SEASIDE 55027

PVC-FREE
RIGID CORE FLOORING
MADE IN GERMANY BY Inhaus®

DURABILITY & STYLE DESIGNED FOR TODAY'S HOME



MADE IN
GERMANY



SILVER SAND
55025



ENDURING DESIGN & STYLE

Elandura offers a variety of authentic designs and colorways that compliment your home's interior.

BEAUTY THAT LASTS

Made in Germany, Elandura is crafted to be beautiful, comfortable, and authentic. Its construction is designed to endure life as it happens—ensuring that your floors look great for many years to come.

Crafted using a polypropylene and mineral composite, Elandura's construction is free of formaldehyde, plasticizers, and phthalates. Its unique composition is waterproof, scratch-resistant, and ultra-low in VOC emissions—supporting a healthy home environment.



CREATIVITY INSPIRED BY NATURE

Mother Nature is the foundation of Elandura's design. Natural wood and stone samples are carefully selected for their captivating look and scanned as the base for each floor. This allows us to capture the beauty of every crease, knot and grain.

Elandura is available in plank and tile formats. Each design features 21 (wood) or 16 (stone) unique planks and a plank-to-plank color variation rating that ranges from light to heavy.

PLANK DIMENSIONS

WOOD



STONE




COLOR VARIATION STYLES

LIGHT



MEDIUM



HEAVY





MIST
VARIATION:

54948
LIGHT





HAZELNUT
VARIATION:

54956
MEDIUM





SEASIDE
VARIATION:

55027
LIGHT





SILVER SAND
VARIATION:

55025
LIGHT





GILMOUR
VARIATION:

55024
LIGHT





URBAN
VARIATION:

55026
LIGHT





SUTTER
VARIATION:

54954
MEDIUM





WOODWIND
VARIATION:

55028
LIGHT





CLOVE
VARIATION:

55030
MEDIUM





UMBER
VARIATION:

54957
LIGHT





CARAWAY
VARIATION:

55031
MEDIUM





TUSCAN
VARIATION:

55029
MEDIUM





TERRA
VARIATION:


54955
MEDIUM



PRODUCT FEATURES

PVC-FREE CONSTRUCTION

Elandura PVC-free rigid core flooring is crafted using durable food-safe, medical-grade polypropylene— a material most commonly used to make a variety of consumer products such as baby bottles and food containers. The combination of polypropylene and natural minerals results in a product that is waterproof, safe, and strong enough to withstand the rigors of daily use in a busy home.



CERTIFIED SAFE

There is no need to be concerned about indoor air quality when choosing Elandura. It contains zero PVC, formaldehyde, phthalates or plasticizers, resulting in ultra-low VOC emissions. What's more, Elandura is GreenGuard Gold and Blue Angel certified.

WATERPROOF

Elandura's unique composition is waterproof making it ideal for installations throughout your home, including kitchens, bathrooms, or below grade.

DURABLE PERFORMANCE

Elandura is designed to withstand the challenges of everyday life in the busiest of households. It can stand up to spills, scratches and pet accidents.

ATTACHED UNDERLAY

Designed specifically for Elandura, the pre-attached underlay provides built-in acoustical performance. **DELTA IIC 25dB.**

EASY INSTALLATION

Quick and simple floating installation with an angle-angle locking system. Elandura can be installed in areas up to 10,000 square feet without the use of transitions.

STAIN & FADE RESISTANT

Elandura is made to withstand the test of time. Its lacquer surface provides protection against staining, and visuals are printed using UV-resistant ink for a lifetime guarantee against fading from sun exposure.

LOW MAINTENANCE


Elandura floors are easy to clean. They do not require special or expensive cleaning agents and are safe to clean by wet, and steam mop.

COLOR VARIATION

The Elandura collection offers three levels of plank-to-plank color variation. Each individual SKU is rated according to its unique look and design.


VARIATION: LIGHT

- Slight contrast
- Consistent floor with a uniform look




VARIATION: MEDIUM

- Moderate contrast
- Floor with subtle tonal changes




VARIATION: HEAVY

- Pronounced contrast
- Dynamic floor with bold character



COMPOSITION



MINERAL COMPOSITE CORE

Developed to meet advanced health, safety, and performance requirements. Ideal for homeowners that want to minimize VOC emissions in their homes.

PRODUCT SPECIFICATIONS

	TILE	PLANK
THICKNESS	4MM+1MM	4MM+1MM
PLANK DIMENSIONS	25.12" x 12.20"	50.79" x 6.81"
SQ. FT. / CARTON	25.55	26.42
LBS. / CARTON	33.90	35.08
UNIQUE PLANKS IN PATTERN	16	21
ABRASION CLASS	AC4	AC4
RESIDENTIAL WARRANTY*	40 YEARS	40 YEARS
COMMERCIAL WARRANTY*	5 YEARS	5 YEARS
ANTI-FADE WARRANTY*	LIFETIME	LIFETIME


*Refer to warranty documentation for details.

94" COORDINATING MOLDINGS AVAILABLE IN 4 PROFILES:




STAIRNOSE CAN BE INSTALLED IN FLUSH OR OVERLAP MANNER

FLUSH



OVERLAP



Color may vary between actual product and printed images. Always make your selection from an actual product sample.

CARAWAY
55031



LOVE WHERE YOU LIVE, WORK, AND PLAY.

elandura

PVC-FREE
RIGID CORE FLOORING

Inhaus®
inhausurfaces.com | 888 255 3412

MADE IN
GERMANY





Inhaus®
inhausurfaces.com | 888 255 3412